

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

1 Identification

- · Product identifier
- · Trade name: Fusion Series 4500
- · Article number: 701697
- · Relevant identified uses of the substance or mixture. Adhesive
- · Details of the supplier of the safety data sheet
- · Company Information:

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504

1-800-552-6225

- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

- · Classification of the substance or mixture The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1

0 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

(Contd. on page 2)

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

(Contd. of page 1) · Hazardous components: 25280-35-7 vinyl acrylic copolymer 2.5-10% 14808-60-7 Quartz (SiO2) **≤**2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Overexposure, remove to fresh air and seek medical attention.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

- · After swallowing: Do not induce vomiting. Obtain medical advice.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. *Use fire fighting measures that suit the environment.*

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· **Protective equipment:** Protective clothing and respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· Protective Action	Crueria jor	Cnemicais
---------------------	-------------	-----------

· PAC-1:	
14808-60-7 Quartz (SiO2)	$0.075 \ mg/m^3$
108-05-4 vinyl acetate	6.7 ppm
· PAC-2:	
14808-60-7 Quartz (SiO2)	33 mg/m^3
	(Contd. on page 3)

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

108-05-4 vinyl	acetate	(Contd. of page 2) 36 ppm
· PAC-3:		
14808-60-7 Quar	tz (SiO2)	200 mg/m³
108-05-4 vinyl	acetate	180 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store above 40F.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect product from freezing.

Store in cool, dry conditions in well sealed receptacles.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

14808-60-7 Quartz (SiO2)

PEL see Quartz listing

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³

*as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



(Contd. on page 4)

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

· Information on basic physical and c	hemical properties	
· General Information	1 1	
· Appearance:		
Form:	Pasty	
Color:	Tan	
· Odor:	Characteristic	
Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	9.4	
· Change in condition		
Melting point:	Undetermined.	
Boiling point:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Specific gravity at 20 °C (68 °F):	1.11 g/cm³ (9.26295 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	

(Contd. on page 5)

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

(Contd. of page 4)

· Solvent content:

Solids content: 58.8 %

• Other information VOC calculated [Rule 1168] - 0.63 grams/liter

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Temperatures below 40F (4.4C)
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrocarbons

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
14808-60-7 Quartz (SiO2)	1
108-05-4 vinyl acetate	2 <i>B</i>
· NTP (National Toxicology Program)	
14808-60-7 Quartz (SiO2)	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

(Contd. of page 5)

- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

7 4 5			
	Transport	INTORI	nation
	uuspur	UUJUII	muuuvu

· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated

· UN proper shipping name

· DOT, ADN, IMDG, IATA not regulated

· Transport hazard class(es)

· DOT, ADN, IMDG, IATA

· Class not regulated

· Packing group

· DOT, IMDG, IATA not regulated

• Environmental hazards: Not applicable.

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

108-05-4 vinyl acetate

· Section 313 (Specific toxic chemical listings):

108-05-4 vinyl acetate

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· TSCA new (21st Century Act) (Substances not listed)

25280-35-7 vinyl acrylic copolymer

(Contd. on page 7)

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

· Proposition 65	ontd. of page 6)
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· (DSL) Canada Dosmestic Substance List All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from L requirements.	OSL .
· New Jersey Right-to-Know List:	
14808-60-7 Quartz (SiO2)	
108-05-4 vinyl acetate	
· New Jersey Special Hazardous Substance List:	
14808-60-7 Quartz (SiO2)	CA
108-05-4 vinyl acetate	CA, F3, R2
Pennsylvania Right-to-Know List:	
14808-60-7 Quartz (SiO2)	
108-05-4 vinyl acetate	
· Pennsylvania Special Hazardous Substance List:	
108-05-4 vinyl acetate	E
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz (SiO2)	A2
108-05-4 vinyl acetate	A3
· MAK (German Maximum Workplace Concentration)	
14808-60-7 Quartz (SiO2)	1
108-05-4 vinyl acetate	<i>3A</i>
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, H.B. Fuller Construction Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will H.B. Fuller Construction Products Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from (Contd. on page 8)

USA ·

Printing Date 11/02/2017 Revision Number 4 Revision Date 11/02/2017

Trade name: Fusion Series 4500

(Contd. of page 7)

the use or reliance on the information set forth in the SDS.

Department issuing SDS: Environment protection department.

· Creation Date: 11/02/2017

· Date of preparation / last revision 11/02/2017 / 3

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

USA