

Printing Date 10/14/2019

Revision Number 2

Revision Date 10/14/2019

1 Identification · Product identifier • Trade name: Parabond 5092 · Relevant identified uses of the substance or mixture. Industrial Use Only. Adhesive · Details of the supplier of the safety data sheet · Company information: H.B. Fuller Construction Products Inc. 1105 S. Frontenac Street Aurora, IL 60504 Information Phone Number: 1-800-552-6225 · Information department: Global Regulatory Department. · Emergency telephone number: ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
PHYSICAL HAZARD	0	<i>Physical Hazard</i> = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Adhesive

(Contd. on page 2)

USA

Printing Date 10/14/2019

Revision Number 2

Revision Date 10/14/2019

Trade name: Parabond 5092

(Contd. of page 1)

US4

· Hazardous components: No hazardous/reportable components.

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

- After swallowing:
- Rinse mouth with water.

Do not induce vomiting. Obtain medical advice.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

• Special hazards arising from the substance or mixture Dried solids can burn and release toxic fumes and vapors. • Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

• Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures								
Wear protective equipment. Keep unprotected persons away.								
Ensure adequate ventilation								
• Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).								
							Dispose of contaminated material as waste in accordance with federal state and local regulations.	contaminated material as waste in accordance with federal state and local regulations.
							Ensure adequate ventilation.	
· Reference to other sections								
See Section 7 for information on safe handling.								
See Section 8 for information on personal protection equipment.								
See Section 13 for disposal information.								
· Protective Action Criteria for Chemicals								
· PAC-1:								
108-01-0 2-dimethylaminoethanol	3.7 ppm							
1310-58-3 potassium hydroxide	$0.18 \ mg/m^3$							
· · · ·	(Contd. on page 3)							

Printing Date 10/14/2019

Revision Number 2

Trade name: Parabond 5092

	(Contd. of page 2)
· PAC-2:	
108-01-0 2-dimethylaminoethanol	40 ppm
1310-58-3 potassium hydroxide	$\frac{2 mg/m^3}{2 mg/m^3}$
· PAC-3:	
108-01-0 2-dimethylaminoethanol	72 ppm
1310-58-3 potassium hydroxide	54 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Open and handle receptacle with care. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed. Protect product from freezing.
 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- \cdot General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves*

- Nitrile rubber, NBR
- Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 4)

[·] Control parameters

USA

Printing Date 10/14/2019

Revision Number 2

Revision Date 10/14/2019

Trade name: Parabond 5092

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses with side shields.

· Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and c General Information	nonnour proportios	
Appearance:		
Form:	Paste	
Color:	White	
Odor:	Characteristic	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	7.1-7.5	
Change in condition		
Melting point:	Undetermined.	
Boiling point:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits:		
Lower:	Not Available	
Upper:	Not Available	
• Vapor pressure at 20 •C (68 •F):	23 hPa (17.3 mm Hg)	
Specific gravity at 20 °C (68 °F):	0.99456 g/cm³ (8.2996 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not determined.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Solids content:	60.0 %	
Other information	No further relevant information available.	

(Contd. on page 5)

(Contd. of page 3)

Printing Date 10/14/2019

Revision Number 2

Revision Date 10/14/2019

Trade name: Parabond 5092

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions not reactive, as supplied.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Hydrocarbons

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 6)

US4

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing Date 10/14/2019

Revision Number 2

Revision Date 10/14/2019

Trade name: Parabond 5092

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must be specially treated adhering to official regulations.

· Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

*

14 Hansport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
· UN ''Model Regulation'':	not regulated

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Please contact H.B. Fuller for more information regarding Proposition 65 on this product: reg.request@hbfuller.com.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

(Contd. on page 7)

Revision Number 2

Revision Date 10/14/2019

Printing Date 10/14/2019
Trade name: Parabond 5092

	(Contd. of page
New Jersey Right-to-Know List:	
108-01-0 2-dimethylaminoethanol	
1310-58-3 potassium hydroxide	
New Jersey Special Hazardous Substance List:	
108-01-0 2-dimethylaminoethanol	<i>CO</i> , <i>F</i>
1310-58-3 potassium hydroxide	CO, R
Pennsylvania Right-to-Know List:	· · ·
108-01-0 2-dimethylaminoethanol	
1310-58-3 potassium hydroxide	
Pennsylvania Special Hazardous Substance List:	
1310-58-3 potassium hydroxide	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
57-13-6 urea	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients listed.	
MAK (German Maximum Workplace Concentration)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

• Water hazard class: Generally not hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS [SDS] are presented in good faith and are believed to be correct as of the date of this SDS [SDS], the supplier/manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will the supplier/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS [SDS].

· Department issuing SDS: Global Regulatory Department.

- · Date of preparation / last revision 10/14/2019 / 1
- Abbreviations and acronyms:
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINECS: European Inventory of Existing Commercial Chemical Substance ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health

[·] Creation Date: 10/14/2019

Revision Number 2

Revision Date 10/14/2019

Printing Date 10/14/2019 Trade name: Parabond 5092

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

(Contd. of page 7)

USA —