

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

### 1 Identification

- · Product identifier
- · Trade name: Parabond Fusion X Wall Base Adhesive
- · Relevant identified uses of the substance or mixture. Adhesive
- · Details of the supplier of the safety data sheet
- · Company information:

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504

- 1-800-552-6225
- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

· Classification of the substance or mixture

The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Adhesive

(Contd. on page 2)

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

Trade name: Parabond Fusion X Wall Base Adhesive

(Contd. of page 1)

· Hazardous components: No hazardous/reportable components.

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

USA

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

Trade name: Parabond Fusion X Wall Base Adhesive

(Contd. of page 2)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store above 40F. Freeze-thaw stable up to five cycles at 20F.

- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect product from freezing.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Natural rubber, NR

Neoprene gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Eye protection:



Tightly sealed goggles

Safety glasses with side shields.

(Contd. on page 4)

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

Trade name: Parabond Fusion X Wall Base Adhesive

· Body protection: Protective work clothing

(Contd. of page 3)

· Information on basic physical and chemical properties			
Information on basic physical and chemical properties General Information			
Appearance:			
Form:	Liquid		
Color:	Tan		
Odor:	Characteristic		
Odor threshold:	Not determined.		
pH-value at 20 °C (68 °F):	9.3		
Change in condition			
Melting point:	Undetermined.		
Boiling point:	100 °C (212 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:			
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Flammable limits:			
Lower:	Not determined		
Upper:	Not determined		
Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)		
Specific gravity:	Not Determined		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not determined.		
Partition coefficient (n-octanol/wat	ter): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Solvent content:			
Water:	Not available		

(Contd. on page 5)

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

Trade name: Parabond Fusion X Wall Base Adhesive

(Contd. of page 4)

· Other information California VOC Compliance:

Solvent Free Product:

SCAQMD Rule 1168: VOC compliant

SCAQMD Rule 443.1: Grams per Liter of Material <1 gram/liter

*Grams per Liter of Coating <1 gram/liter* 

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.

(Contd. on page 6)

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

Trade name: Parabond Fusion X Wall Base Adhesive

(Contd. of page 5)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Comply with current regulations.
- · Uncleaned packagings:
- · Recommendation: Comply with current regulations.

-	1 4 7	D.			C	y •
		ranc	$n \alpha r t$		formai	пои
		. I WILD	u	וטעט	UI IIIUU	טונטעע

· UN-Number · DOT, ADN, IMDG, IATA	not regulated		
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated		
· Transport hazard class(es)			
· DOT, ADN, IMDG, IATA · Class	not regulated		
· Packing group · DOT, IMDG, IATA	not regulated		
· Environmental hazards:	Not applicable.		
· Special precautions for user	Not applicable.		
· Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:	DOT, ADR, IMDG, IATA - Not regulated in transport. Not dangerous according to the above specifications.		
· UN ''Model Regulation'':	not regulated		

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

(Contd. on page 7)

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

Trade name: Parabond Fusion X Wall Base Adhesive

(Contd. of page 6)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

Although the information and recommendations set forth in this SDS [SDS] are presented in good faith and are believed to be correct as of the date of this SDS [SDS], the supplier/manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will the supplier/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS [SDS].

- · Department issuing SDS: Environment protection department.
- · Creation Date: 02/23/2017
- · Date of preparation / last revision 03/13/2017 / 3
- · Abbreviations and acronyms:

 $RiD: \ R\`e glement\ international\ concernant\ le\ transport\ des\ marchandises\ dangereuses\ par\ chemin\ de\ fer\ (Regulations\ Concerning\ the\ International\ Transport\ of\ Dangerous\ Goods\ by\ Rail)$ 

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

Printing Date 03/13/2017 Revision Number 4 Revision Date 02/23/2017

#### Trade name: Parabond Fusion X Wall Base Adhesive

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit (Contd. of page 7)

USA