


Printing Date 12/04/2015

**Revision Number 1** 

Revision Date 12/04/2015



Health = 1Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



• Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture

(Contd. on page 2)

USA -

Printing Date 12/04/2015

**Revision Number 1** 

Revision Date 12/04/2015

Trade name: Millennium Series 3016 Modified Silyl Wood Flooring Adhesive

(Contd. of page 1)

· Hazardous components: No hazardous/reportable components.

### 4 First-aid measures

- · Description of first aid measures
- After inhalation: Overexposure, remove to fresh air and seek medical attention.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

*Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.* • *After swallowing:* 

*Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.* 

Seek medical treatment.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

 $No\ further\ relevant\ information\ available.$ 

### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

• Protective equipment: Protective clothing and respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

USA

(Contd. on page 3)

Printing Date 12/04/2015

Revision Number 1

Revision Date 12/04/2015

### Trade name: Millennium Series 3016 Modified Silyl Wood Flooring Adhesive

(Contd. of page 2)

### 7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid prolonged or repeated contact with skin. Avoid contact with eyes.

Wash thoroughly after handling.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Protect from humidity and water. Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- · Material of gloves
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

(Contd. on page 4)

Printing Date 12/04/2015

\*

Revision Number 1

Revision Date 12/04/2015

# Trade name: Millennium Series 3016 Modified Silyl Wood Flooring Adhesive

(Contd. of page 3)

| Information on basic physical and c   | hemical properties                            |
|---------------------------------------|---|
| General Information                   |   |
| Appearance:                           |   |
| Form:                                 | Liquid  |
| Color:                                | Light brown                                   |
| Odor:                                 | Characteristic                                |
| Odor threshold:                       | Not determined.                               |
| pH-value:                             | Not determined.                               |
| Change in condition                   |   |
| Melting point:                        | Undetermined.                                 |
| Boiling.point:<br>Flash point:        | > 93 °C (> 199 °F)                            |
| Flammability (solid, gaseous):        | Not applicable.                               |
| Ignition temperature:                 |   |
| Decomposition temperature:            | Not determined.                               |
| Auto igniting:                        | Product is not selfigniting.                  |
| Danger of explosion:                  | Product does not present an explosion hazard. |
| Vapor pressure:                       | Not determined.                               |
| Specific gravity at 20 °C (68 °F):    | 1.59 g/cm <sup>3</sup> (13.269 lbs/gal)       |
| Relative density                      | Not determined.                               |
| Vapor density                         | Not determined.                               |
| Evaporation rate                      | Not determined.                               |
| Solubility in / Miscibility with      |   |
| Water:                                | Not determined.                               |
| Partition coefficient (n-octanol/wate | <b>r</b> ): Not determined.                   |
| Viscosity:                            |   |
| Dynamic:                              | Not determined.                               |
| Kinematic:                            | Not determined.                               |
| Solvent content:                      |   |
| Organic solvents:                     | 0.0 %   |
| Solids content:                       | not available                                 |
| Other information                     | VOC = 0%                                      |

#### \*

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- Moisture
- Exposure to high temperatures.
- · Incompatible materials: Reacts with oxidizing agents.

(Contd. on page 5)

Printing Date 12/04/2015

Revision Number 1

Revision Date 12/04/2015

#### Trade name: Millennium Series 3016 Modified Silyl Wood Flooring Adhesive

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. of page 4)

3

### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- $\cdot$  on the skin: May irritate the skin.
- on the eye: May irritate the eye.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing Date 12/04/2015

Revision Number 1

Revision Date 12/04/2015

## Trade name: Millennium Series 3016 Modified Silyl Wood Flooring Adhesive

(Contd. of page 5)

| Transport information   |                       |
|---|-----------------------|
| · UN-Number<br>· DOT, ADR, ADN, IMDG, IATA                              | not regulated         |
| · UN proper shipping name<br>· DOT, ADR, ADN, IMDG, IATA                | not regulated         |
| · Transport hazard class(es)  |                       |
| · DOT, ADR, ADN, IMDG, IATA<br>· Class                                  | not regulated         |
| · Packing group<br>· DOT, ADR, IMDG, IATA                               | not regulated         |
| · Environmental hazards:  | Not applicable.       |
| Special precautions for user  | Not applicable.       |
| Transport in bulk according to Annex II<br>MARPOL73/78 and the IBC Code | of<br>Not applicable. |
| · UN ''Model Regulation'':  | not regulated         |

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

(Contd. on page 7)

USA

Printing Date 12/04/2015

**Revision Number 1** 

Revision Date 12/04/2015

Trade name: Millennium Series 3016 Modified Silyl Wood Flooring Adhesive

(Contd. of page 6)

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, H.B. Fuller Construction Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will H.B. Fuller Construction Products Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

• Department issuing SDS: Environment protection department.

· Creation Date: 12/04/2015

· Date of preparation / last revision 12/04/2015 / -

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELNCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative