

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

I Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Signature Series 5060 Pressure Sensitive Adhesive
- · Article number: 702073
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Company information:

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504

Information Phone Number: 1-800-552-6225

- · Information department: Environment protection department.
- · Emergency telephone number: ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

2 Hazards identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 10 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Water Base Adhesive

(Contd. on page 2)

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 1)

· Dangerous components:

No hazardous/reportable components.

7732-18-5 water, distilled, conductivity or of similar purity

25-50%

4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for 15 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing:

Rinse out mouth with water. Drink 1 - 2 glasses of water but do not induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

Wash area thoroughly with water.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

USA

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 2)

*

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid prolonged or repeated contact with skin.

Avoid contact with eyes.

Wash thoroughly after handling.

Open containers in a well ventilated area and avoid breathing headspace vapors.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles:

Store above 40F. Freeze-thaw stable up to five cycles at 20F.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect product from freezing.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

4

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing Date 09/01/2013 Revision Number 1 *Revision Date 09/01/2013*

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 3)

• Eye protection: Safety glasses with side shields.



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and c	hemical properties
· General Information	nemeut properties
· Appearance:	
Form:	Fluid/Paste
Color:	Light Tan
· Odor:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C (68 °F):	7
· Change in condition	
Melting point:	Undetermined.
Boiling point:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammable limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
· Specific gravity at 20 °C (68 °F):	$0.97 \ g/cm^3 (8.095 \ lbs/gal)$
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	49.5 %

(Contd. on page 5)

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 4)

VOC (Per EPA 24)Not Available GMS/LOther informationCalifornia VOC Compliance:

Solvent Free Product

SCAQMD Rule 1168: VOC Compliant

SCAQMD Rule 443.1: Grams per Liter of Material <1 gram/liter

Grams per Liter of Coating <1 gram/liter

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
	ethyl acrylate	2 <i>B</i>
107-13-1	acrylonitrile	2B
· NTP (Na	tional Toxicology Program)	
140-88-5	ethyl acrylate	R
107-13-1	acrylonitrile	R

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.

(Contd. on page 6)

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 5)

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	DOT, ADR, IMDG, IATA - Not regulated in transport. Not dangerous according to the above specifications.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

107-13-1 acrylonitrile

· Section 313 (Specific toxic chemical listings):

140-88-5 ethyl acrylate 107-13-1 acrylonitrile

(Contd. on page 7)

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 6)

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

140-88-5 ethyl acrylate

107-13-1 acrylonitrile

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

currently currently	
· EPA (Environmental Protection Agency)	
107-13-1 acrylonitrile	B1
· TLV (Threshold Limit Value established by ACGIH)	
140-88-5 ethyl acrylate	A4
107-13-1 acrylonitrile	A3
· MAK (German Maximum Workplace Concentration)	
107-13-1 acrylonitrile	2
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
140-88-5 ethyl acrylate	
107-13-1 acrylonitrile	
· OSHA-Ca (Occupational Safety & Health Administration)	
107-13-1 acrylonitrile	

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, H.B. Fuller Construction Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will H.B. Fuller Construction Products Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

- · Department issuing MSDS: Environment protection department.
- · Creation Date: 07/26/2013
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 8)

Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing Date 09/01/2013 Revision Number 1 Revision Date 09/01/2013

Trade name: Signature Series 5060 Pressure Sensitive Adhesive

(Contd. of page 7)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

IIS A