

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

#### 1 Identification

- · Product identifier
- · Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound
- · Relevant identified uses of the substance or mixture. Cement
- · Details of the supplier of the safety data sheet
- · Company information:

H.B. Fuller Construction Products Inc.

1105 S. Frontenac Street

Aurora, IL 60504 Phone: 1-800-552-6225

- · Information department: Environment protection department.
- · Emergency telephone number:

ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard statements

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

## Safety Data Sheet acc. to OSHA HCS

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

· HMIS-ratings (scale 0 - 4)

HEALTH1Health=1FIRE0Fire=0PHYSICAL HAZARD 0 $Physical\ Hazard=0$ 

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture

· Hazardous d	components:	
65997-15-1	Cement, portland, chemicals	2.5-10%
26499-65-0	Plaster of Paris (Calcium sulfate)	2.5-10%
14808-60-7	Quartz (SiO2) - respirable form	<i>≤</i> 1%

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Overexposure, remove to fresh air and seek medical attention.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing:

Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· Protective equipment: Protective clothing and respiratory protective device.

USA

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

(Contd. of page 2)

\*

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

Dispose of contaminated material as waste in accordance with federal state and local regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

\*

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from water.

- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

\*

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

(Contd. of page 3)

# 65997-15-1 Cement, portland, chemicals PEL Long-term value: 50 mppcf or 15\* 5\*\* mg/m³ \*total dust \*\*respirable fraction REL Long-term value: 10\* 5\*\* mg/m³ \*total dust \*\*respirable fraction TLV Long-term value: 1\* mg/m³ E; \*as respirable fraction 26499-65-0 Plaster of Paris (Calcium sulfate) PEL Long-term value: 15\* 5\*\* mg/m³ \*total dust \*\*respirable fraction REL Long-term value: 10\* 5\*\* mg/m³ \*total dust \*\*respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

· Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

Leather gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Safety glasses with side shields.

· **Body protection:** Protective work clothing

USA -

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

(Contd. of page 4)

Physical and chemical proper	ties	
Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Powder	
Color:	Light grey	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	11	
Change in condition		
Melting point:	Undetermined.	
Boiling point:	Undetermined	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits:		
Lower:	Not Available	
Upper:	Not Available	
Vapor pressure:	Not applicable.	
Specific gravity at 20 °C (68 °F):	1.7 g/cm³ (14.1865 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble	
Partition coefficient (n-octanol/wate	e <b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Other information

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid water, moisture, acids, ammonium or metal salts

(Contd. on page 6)

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

(Contd. of page 5)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Inhalation - May cause respiratory irritation

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2) - respirable form

· NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2) - respirable form

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

(Contd. of page 6)

14 Transport information	
· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II oj MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN ''Model Regulation'':	not regulated

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· TSCA new (21st Century Act) (Substances not listed)

14808-60-7 Quartz (SiO2) - respirable form

- · Proposition 65
- · Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2) - respirable form

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

(Contd. on page 8)

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

Now Iorsov	Right-to-Know List:	ontd. of page
•	Limestone	
	Cement, portland, chemicals	
	Plaster of Paris (Calcium sulfate)	
	Special Hazardous Substance List:	
-	ingredients is listed.	
	ia Right-to-Know List:	
1317-65-3	Limestone	
65997-15-1	Cement, portland, chemicals	
26499-65-0	Plaster of Paris (Calcium sulfate)	
Pennsylvan	ia Special Hazardous Substance List:	
None of the	ingredients is listed.	
Cancerogen	nity categories	
EPA (Envir	conmental Protection Agency)	
None of the	ingredients is listed.	
TLV (Thres	hold Limit Value established by ACGIH)	
	Quartz (SiO2) - respirable form	A
MAK (Gern	nan Maximum Workplace Concentration)	
	Quartz (SiO2) - respirable form	
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
	Quartz (SiO2) - respirable form	
	gulations:	

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, H.B. Fuller Construction Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will H.B. Fuller Construction Products Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

- · Department issuing SDS: Environment protection department.
- · Creation Date: 01/15/2018
- · Date of preparation / last revision 01/15/2018 / 1
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 9)

Printing Date 01/15/2018 Revision Number 2 Revision Date 01/15/2018

Trade name: Vitex Para-Patch Plus High Strength Cementitious Patching Compound

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Carc. 1A: Carcinogenicity – Category 1A

USA ·