

**SAFETY DATA SHEET****PARABOND® M-363**

Version 1.0

Revision Date 11/12/2025

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : PARABOND® M-363  
Product code : 100000012023

**Manufacturer or supplier's details**

Company : TEC Specialty Products  
Address : 1105 South Frontenac  
Aurora, IL, 60504  
Telephone : 800-832-9023

Medical Emergency Phone Number (24 Hours) : 1-800-424-9300

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

**Recommended use of the chemical and restrictions on use**

Recommended use : Adhesive

Restrictions on use :  
This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

Appearance	viscous liquid
Color	transparent
Odor	solvent

**GHS Classification**

Skin irritation : Category 2  
Eye irritation : Category 2A  
Carcinogenicity : Category 2  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)  
Aspiration hazard : Category 1

**GHS label elements**

## SAFETY DATA SHEET

### PARABOND® M-363

Version 1.0

Revision Date 11/12/2025

Hazard pictograms :



Signal Word :

Danger

#### Hazard Statements:

H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer.

#### Precautionary Statements:

**Prevention:** P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:** P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P331 Do NOT induce vomiting. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

#### Potential Health Effects

#### Carcinogenicity:

##### IARC

Group 2A: Probably carcinogenic to humans  
dichloromethane 75-09-2

##### OSHA

OSHA specifically regulated carcinogen  
dichloromethane 75-09-2

##### NTP

Reasonably anticipated to be a human carcinogen  
dichloromethane 75-09-2

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
dichloromethane	75-09-2	30 - 60

## SAFETY DATA SHEET

### PARABOND<sup>®</sup> M-363

Version 1.0

Revision Date 11/12/2025

#### SECTION 4. FIRST AID MEASURES

- |   |   |  |
|---|---|--|
| General advice  | : | In the case of accident or if you feel unwell, seek medical advice immediately.<br>Take the victim into fresh air.   |
| If inhaled  | : | If inhaled<br>Remove person to fresh air. If signs/symptoms continue, get medical attention.<br>Oxygen or artificial respiration if needed.  |
| In case of skin contact                                     | : | Wash off immediately with soap and plenty of water.<br>Get medical attention if irritation develops and persists.  |
| In case of eye contact                                      | : | Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.   |
| If swallowed  | : | Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.<br>If conscious, drink plenty of water.<br>Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : | May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>Causes serious eye irritation.<br>May cause drowsiness or dizziness.<br>Suspected of causing cancer.                                   |

#### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Cool closed containers exposed to fire with water spray.<br>No hazardous combustion products are known            |
| Hazardous combustion products                  | : | No hazardous combustion products are known  |
| Specific extinguishing methods                 | : |   |
| Further information                            | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.           |
| Special protective equipment for fire-fighters | : | Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |

## SAFETY DATA SHEET

### PARABOND® M-363

Version 1.0

Revision Date 11/12/2025

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.  
Should not be released into the environment.
- Methods and materials for containment and cleaning up : Ventilate the area.  
Soak up with inert absorbent material.  
Shovel into suitable container for disposal.  
Non-sparking tools should be used.

#### SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Use only with adequate ventilation/personal protection.  
Keep away from fire, sparks and heated surfaces.  
Avoid formation of aerosol.  
Keep container closed when not in use.  
Ensure all equipment is electrically grounded before beginning transfer operations.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.  
Use explosion-proof equipment.  
Keep container tightly closed in a dry and well-ventilated place.  
Store in original container.  
Solvent vapors are heavier than air and may spread along floors.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

## SAFETY DATA SHEET

### PARABOND® M-363

Version 1.0

Revision Date 11/12/2025

dichloromethane	75-09-2	TWA	50 ppm	ACGIH
		PEL	25 ppm	OSHA CARC
		STEL	125 ppm	OSHA CARC
		STEL	125 ppm 435 mg/m3	CAL PEL
		PEL	25 ppm 87 mg/m3	CAL PEL

**Engineering measures** : Use local exhaust ventilation or other engineering controls to minimize exposures.

#### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

**Filter type** : Organic vapor Type

**Hand protection**  
**Material** : butyl-rubber

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Long sleeved clothing  
Remove and wash contaminated clothing before re-use.  
Skin should be washed after contact.

**Protective measures** : Avoid contact with skin.

**Hygiene measures** : Avoid contact with skin, eyes and clothing.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : viscous liquid  
**Color** : transparent  
**Odor** : solvent  
**Odor Threshold** : no data available  
**pH** : is not determined  
: is not determined  
: is not determined  
**Evaporation rate** : is not determined  
**Upper explosion limit** : Upper flammability limit  
is not determined

## SAFETY DATA SHEET

### PARABOND<sup>®</sup> M-363

Version 1.0

Revision Date 11/12/2025

---

Lower explosion limit	:	Lower explosion limit is not determined
Vapor pressure	:	is not determined
Density	:	1.08 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	is not determined
Partition coefficient: n-octanol/water	:	no data available
Autoignition temperature	:	is not determined
Viscosity	:	
Viscosity, kinematic	:	is not determined

---

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

---

#### SECTION 11. TOXICOLOGICAL INFORMATION

##### Acute toxicity

###### Product:

Acute oral toxicity : Acute toxicity estimate : 5,000 mg/kg  
Method: Calculation method

###### Components:

###### **dichloromethane:**

Acute oral toxicity : LD50 Oral Rat: > 2,000 mg/kg

##### Skin corrosion/irritation

No data available

##### Serious eye damage/eye irritation

No data available

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

## SAFETY DATA SHEET

### PARABOND<sup>®</sup> M-363

Version 1.0

Revision Date 11/12/2025

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT-single exposure

No data available

#### STOT-repeated exposure

No data available

#### Aspiration toxicity

No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### dichloromethane :

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 140.8 - 277.8 mg/l  
Exposure time: 96 Hours  
Method: flow-through test

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

#### dichloromethane :

Partition coefficient: n-octanol/water : log Pow: 1.24

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

**SAFETY DATA SHEET****PARABOND® M-363**

Version 1.0

Revision Date 11/12/2025

Waste from residues : Do not dispose of together with household waste. The hazard and precautionary statements displayed on the label also apply to any residues left in the container. Do not dispose of waste into sewer.

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

UN/ID No. : UN 1593  
Proper shipping name : Dichloromethane mixture  
Class : 6.1  
Packing group : III  
Labels : Toxic  
Packing instruction (cargo aircraft) : 663  
Packing instruction (passenger aircraft) : 655

**IMDG-Code**

UN number : UN 1593  
Proper shipping name : DICHLOROMETHANE MIXTURE

Class : 6.1  
Packing group : III  
Labels : 6.1  
EmS Code : F-A, S-A  
Marine pollutant : no

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number : UN 1593  
Proper shipping name : Dichloromethane mixture

Class : 6.1  
Packing group : III  
Labels : POISON  
ERG Code : 160  
Marine pollutant : no

**SAFETY DATA SHEET****PARABOND® M-363**

Version 1.0

Revision Date 11/12/2025

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Carcinogenicity  
Aspiration hazard  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

dichloromethane 75-09-2

**Clean Air Act**

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

dichloromethane 75-09-2

**US State Regulations**

**California Prop 65** Please contact Supplier for more information.

**The ingredients of this product are reported in the following inventories:**

**TSCA** All substances listed as active on the TSCA inventory  
**DSL** All components of this product are on the Canadian DSL  
Please reach out to TEC Specialty Products LLC for further information regarding chemical inventories not listed above. **Inventories Legend** TSCA (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

**SECTION 16. OTHER INFORMATION**

# SAFETY DATA SHEET


## PARABOND® M-363

Version 1.0

Revision Date 11/12/2025

### Further information

#### NFPA:



#### HMIS III:

<b>HEALTH</b>	<b>3*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic